



UHPLC & HPLC HILIC column  
SPE

# 新世代ヒリックカラム

iHILIC<sup>®</sup>-Fusion by HILICON






Website: [www.hilicon.com](http://www.hilicon.com)

株式会社 クロマニックテクノロジーズ

# iHILIC®-Fusion



3種類の固定相を提供



## Features

- Charge modulated hydroxyethyl amide/amide HILIC columns
- Three complementary selectivities for separation of polar analytes
- Excellent durability and ultra-low bleeding for LC-MS
- Versatile columns for "Omics" studies
- iHILIC®-Fusion and iHILIC®-Fusion(+): pH 2-8; 1.8, 3.5, and 5 μm
- iHILIC®-Fusion(P): pH 1-10; 5 μm

### ヌクレオチドの分離



**Column:** 100 × 2.1 mm, 3.5-μm 100Å


**Mobile phase:** A) 100 mM ammonium formate, pH = 5.8 / acetonitrile = 30 / 70

**Flow rate:** 0.2 mL/min

**Column temperature:** Ambient

**Injection volume:** 2 μL

### 人工甘味料の分離



**LC-MS-MS system:** Advance UHPLC with a CTC PAL autosampler and Bruker EVOQ™ Elite triple quadrupole system with electrospray ionization; multiple reaction monitoring mode (MRM) in ESI(+) and ESI(-) was used for selective and sensitive detection, see details in Table.

**Column:** 150 × 2.1 mm, 3.5-μm 100Å  
**iHILIC-Fusion(+)**


**Gradient elution:** A) acetonitrile; B) 10 mM ammonium formate, pH = 3.5; gradient elution from (95/5) A/B to (84/16) A/B in 8.5 min.

**Flow rate:** 0.3 mL/min

**Column temperature:** 40 °C

**Injection volume:** 5 μL

## アミノ酸の分離



**LC-MS System:** Agilent 1100er LC system and Thermo Fisher LTQ™ equipped with a HESI source, operated in positive ionization mode for analysis of standards. For the dietary supplement, an Orbitrap™ Exactive classic equipped with a HESI source and operated in positive ionization mode.

**Column:** 150 × 2.1 mm, 3.5- $\mu$ m iHILIC-Fusion(+)

**Gradient Elution:** A) acetonitrile–water–1 M ammonium acetate, pH 5.75 (90:5:5); B) water–acetonitrile–1 M ammonium acetate, pH 5.75 (90:5:5); 0–0.5 min (90:10) A–B; 0.5 to 25 min, gradient elution from (90:10) A–B to (60:40) A–B.


**Flow Rate:** 0.3 mL/min

**Column Temperature:** 40 °C


**Injection Volume:** 5  $\mu$ L

**Amino Acids:** Arginine, asparagine, aspartic acid, glutamic acid, glutamine, hydroxyl-proline, isoleucine, leucine, lysine, phenylalanine, proline, tryptophan, tyrosine, and valine. 50  $\mu$ M of each amino acid was dissolved in water–acetonitrile (25:75) solution.

## リン脂質の分離



## iHILIC®-Fusion



## リン脂質の化学構造

**LC-MS system:** Thermo Scientific Ultimate 3000 HPLC system coupled to a Q Exactive™ Plus Hybrid Quadrupole-Orbitrap™ mass spectrometer, which is equipped with a HESI II source and operated in negative ionization mode (ESI-).

**Column:** 150 × 2.1 mm, 3.5  $\mu$ m 100 Å iHILIC-Fusion.

**Eluent:**

A) ammonium acetate solution (35 mM, pH 5.75) and acetonitrile (95:5, v/v);

B) acetonitrile.

**Gradient elution:** 0–0.5 min, 97% B; 0.5–26.5 min, from 97% to 75% B; 27–33 min, 60% B; 35–45 min 97% B.

**Flow rate:** 0.3 mL/min

**Column temperature:** 40 °C

**Injection volume:** 10  $\mu$ L

# 【 iHILIC-Fusion カラムおよびSPEカートリッジの価格表 】

P/N	iHILIC®-Fusion UHPLC Column, SS – Stainless steel column hardware	価 格	P/N	iHILIC®-Fusion(+) UHPLC Column, SS – Stainless steel column hardware	価 格
110.052.0110	iHILIC®-Fusion HILIC Column, SS, 50x2.1 mm, 1.8 µm, 100Å	¥120,000	100.052.0110	iHILIC®-Fusion(+) HILIC Column, SS, 50x2.1 mm, 1.8 µm, 100Å	¥120,000
110.102.0110	iHILIC®-Fusion HILIC Column, SS, 100x2.1 mm, 1.8 µm, 100Å	¥130,000	100.102.0110	iHILIC®-Fusion(+) HILIC Column, SS, 100x2.1 mm, 1.8 µm, 100Å	¥130,000
110.152.0110	iHILIC®-Fusion HILIC Column, SS, 150x2.1 mm, 1.8 µm, 100Å	¥143,000	100.152.0110	iHILIC®-Fusion(+) HILIC Column, SS, 150x2.1 mm, 1.8 µm, 100Å	¥143,000
110.053.0110	iHILIC®-Fusion HILIC Column, SS, 50x3.0 mm, 1.8 µm, 100Å	¥128,000	100.053.0110	iHILIC®-Fusion(+) HILIC Column, SS, 50x3.0 mm, 1.8 µm, 100Å	¥128,000
110.103.0110	iHILIC®-Fusion HILIC Column, SS, 100x3.0 mm, 1.8 µm, 100Å	¥135,000	100.103.0110	iHILIC®-Fusion(+) HILIC Column, SS, 100x3.0 mm, 1.8 µm, 100Å	¥135,000
110.153.0110	iHILIC®-Fusion HILIC Column, SS, 150x3.0 mm, 1.8 µm, 100Å	¥151,000	100.153.0110	iHILIC®-Fusion(+) HILIC Column, SS, 150x3.0 mm, 1.8 µm, 100Å	¥151,000
P/N	iHILIC®-Fusion HPLC Column, PEEK – Engineering plastic column hardware	価 格	P/N	iHILIC®-Fusion(+) HPLC Column, PEEK – Engineering plastic column hardware	価 格
110.022.0310	iHILIC®-Fusion HILIC Column, PEEK, 20x2.1 mm, 3.5µm, 100Å	¥90,000	100.022.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 20x2.1 mm, 3.5µm, 100Å	¥90,000
110.052.0310	iHILIC®-Fusion HILIC Column, PEEK, 50x2.1 mm, 3.5µm, 100Å	¥102,000	100.052.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 50x2.1 mm, 3.5µm, 100Å	¥102,000
110.102.0310	iHILIC®-Fusion HILIC Column, PEEK, 100x2.1 mm, 3.5µm, 100Å	¥110,000	100.102.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 100x2.1 mm, 3.5µm, 100Å	¥110,000
110.152.0310	iHILIC®-Fusion HILIC Column, PEEK, 150x2.1 mm, 3.5µm, 100Å	¥128,000	100.152.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 150x2.1 mm, 3.5µm, 100Å	¥128,000
110.054.0310	iHILIC®-Fusion HILIC Column, PEEK, 50x4.6 mm, 3.5µm, 100Å	¥104,000	100.054.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 50x4.6 mm, 3.5µm, 100Å	¥104,000
110.104.0310	iHILIC®-Fusion HILIC Column, PEEK, 100x4.6 mm, 3.5µm, 100Å	¥123,000	100.104.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 100x4.6 mm, 3.5µm, 100Å	¥123,000
110.154.0310	iHILIC®-Fusion HILIC Column, PEEK, 150x4.6 mm, 3.5µm, 100Å	¥143,000	100.154.0310	iHILIC®-Fusion(+) HILIC Column, PEEK, 150x4.6 mm, 3.5µm, 100Å	¥143,000
110.022.0510	iHILIC®-Fusion HILIC Column, PEEK, 20x2.1 mm, 5µm, 100Å	¥89,000	100.022.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 20x2.1 mm, 5µm, 100Å	¥89,000
110.052.0510	iHILIC®-Fusion HILIC Column, PEEK, 50x2.1 mm, 5µm, 100Å	¥97,000	100.052.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 50x2.1 mm, 5µm, 100Å	¥97,000
110.102.0510	iHILIC®-Fusion HILIC Column, PEEK, 100x2.1 mm, 5µm, 100Å	¥104,000	100.102.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 100x2.1 mm, 5µm, 100Å	¥104,000
110.152.0510	iHILIC®-Fusion HILIC Column, PEEK, 150x2.1 mm, 5µm, 100Å	¥120,000	100.152.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 150x2.1 mm, 5µm, 100Å	¥120,000
110.252.0510	iHILIC®-Fusion HILIC Column, PEEK, 250x2.1 mm, 5µm, 100Å	¥147,000	100.252.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 250x2.1 mm, 5µm, 100Å	¥147,000
110.054.0510	iHILIC®-Fusion HILIC Column, PEEK, 50x4.6 mm, 5µm, 100Å	¥99,000	100.054.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 50x4.6 mm, 5µm, 100Å	¥99,000
110.104.0510	iHILIC®-Fusion HILIC Column, PEEK, 100x4.6 mm, 5µm, 100Å	¥117,000	100.104.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 100x4.6 mm, 5µm, 100Å	¥117,000
110.154.0510	iHILIC®-Fusion HILIC Column, PEEK, 150x4.6 mm, 5µm, 100Å	¥135,000	100.154.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 150x4.6 mm, 5µm, 100Å	¥135,000
110.254.0510	iHILIC®-Fusion HILIC Column, PEEK, 250x4.6 mm, 5µm, 100Å	¥169,000	100.254.0510	iHILIC®-Fusion(+) HILIC Column, PEEK, 250x4.6 mm, 5µm, 100Å	¥169,000
111.122.0510	iHILIC®-Fusion Guard Column, PEEK, 20x2.1mm, 5µm, 100Å, 1 pk	¥49,000	101.122.0510	iHILIC®-Fusion(+) Guard Column, PEEK, 20x2.1mm, 5µm, 100Å, 1 pk	¥49,000
111.322.0510	iHILIC®-Fusion Guard Column, PEEK, 20x2.1mm, 5µm, 100Å, 3 pk	¥115,000	101.322.0510	iHILIC®-Fusion(+) Guard Column, PEEK, 20x2.1mm, 5µm, 100Å, 3 pk	¥115,000
P/N	iHILIC®-Fusion HPLC Column, SS – Stainless steel column hardware (SFC)	価 格	P/N	iHILIC®-Fusion HPLC Column, SS – Stainless steel column hardware (SFC)	価 格
114.053.0310	iHILIC®-Fusion HILIC Column, SS, 50x3.0 mm, 3.5µm, 100Å	¥120,000	104.053.0310	iHILIC®-Fusion(+) HILIC Column, SS, 50x3.0 mm, 3.5µm, 100Å	¥120,000
114.103.0310	iHILIC®-Fusion HILIC Column, SS, 100x3.0 mm, 3.5µm, 100Å	¥130,000	104.103.0310	iHILIC®-Fusion(+) HILIC Column, SS, 100x3.0 mm, 3.5µm, 100Å	¥130,000
114.153.0310	iHILIC®-Fusion HILIC Column, SS, 150x3.0 mm, 3.5µm, 100Å	¥148,000	104.153.0310	iHILIC®-Fusion(+) HILIC Column, SS, 150x3.0 mm, 3.5µm, 100Å	¥148,000
114.253.0310	iHILIC®-Fusion HILIC Column, SS, 250x3.0 mm, 3.5µm, 100Å	¥169,000	104.253.0310	iHILIC®-Fusion(+) HILIC Column, SS, 250x3.0 mm, 3.5µm, 100Å	¥169,000
114.053.0510	iHILIC®-Fusion HILIC Column, SS, 50x3.0 mm, 5µm, 100Å	¥120,000	104.053.0510	iHILIC®-Fusion(+) HILIC Column, SS, 50x3.0 mm, 5µm, 100Å	¥120,000
114.103.0510	iHILIC®-Fusion HILIC Column, SS, 100x3.0 mm, 5µm, 100Å	¥130,000	104.103.0510	iHILIC®-Fusion(+) HILIC Column, SS, 100x3.0 mm, 5µm, 100Å	¥130,000
114.153.0510	iHILIC®-Fusion HILIC Column, SS, 150x3.0 mm, 5µm, 100Å	¥143,000	104.153.0510	iHILIC®-Fusion(+) HILIC Column, SS, 150x3.0 mm, 5µm, 100Å	¥143,000
114.253.0510	iHILIC®-Fusion HILIC Column, SS, 250x3.0 mm, 5µm, 100Å	¥164,000	104.253.0510	iHILIC®-Fusion(+) HILIC Column, SS, 250x3.0 mm, 5µm, 100Å	¥164,000
P/N	iHILIC®-Fusion(P) HPLC Column, PEEK – Engineering plastic column hardware	価 格	P/N	iSPE®-HILIC SPE Cartridge for HILIC	Units/Box 価 格
130.052.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 50x2.1 mm, 5µm, 200Å	¥123,000	200-001-0025	iSPE-HILIC SPE Cartridge, 1 mL, 25 mg, 50 µm particle	100 ￥66,000
130.102.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 100x2.1 mm, 5µm, 200Å	¥135,000	200-001-0050	iSPE-HILIC SPE Cartridge, 1 mL, 50 mg, 50 µm particle	100 ￥70,000
130.152.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 150x2.1 mm, 5µm, 200Å	¥148,000	200-001-0100	iSPE-HILIC SPE Cartridge, 1 mL, 100 mg, 50 µm particle	100 ￥84,000
130.054.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 50x4.6 mm, 5µm, 200Å	¥133,000	200-003-0100	iSPE-HILIC SPE Cartridge, 3 mL, 100 mg, 50 µm particle	50 ￥52,000
130.104.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 100x4.6 mm, 5µm, 200Å	¥151,000	200-003-0200	iSPE-HILIC SPE Cartridge, 3 mL, 200 mg, 50 µm particle	50 ￥61,000
130.154.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 150x4.6 mm, 5µm, 200Å	¥170,000	200-003-0500	iSPE-HILIC SPE Cartridge, 3 mL, 500 mg, 50 µm particle	50 ￥99,000
131.122.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 20x2.1 mm, 5µm, 200Å, 1 pk	¥58,000	200-006-0500	iSPE-HILIC SPE Cartridge, 6 mL, 500 mg, 50 µm particle	25 ￥63,000
131.322.0520	iHILIC®-Fusion(P) HILIC Column, PEEK, 20x2.1 mm, 5µm, 200Å, 3 pk	¥141,000	200-006-1000	iSPE-HILIC SPE Cartridge, 6 mL, 1 g, 50 µm particle	25 ￥99,000
P/N	iHILIC®-Fusion HPLC Column, SS – Stainless steel column hardware	価 格	※上記価格は2019年4月1日から適用されます。		
134.053.0510	iHILIC®-Fusion(P) HILIC Column, SS, 50x3.0 mm, 5µm, 200Å	¥130,000	※上記価格には消費税は含まれておりません。		
134.103.0510	iHILIC®-Fusion(P) HILIC Column, SS, 100x3.0 mm, 5µm, 200Å	¥143,000			
134.153.0510	iHILIC®-Fusion(P) HILIC Column, SS, 150x3.0 mm, 5µm, 200Å	¥156,000			

輸入元

株式会社バイオニック  
417-0801 富士市大渕3397-19  
TEL: 0545-38-9125 FAX: 0545-38-9126  
Email: info@bionikinc.com URL: http://www.bionikinc.com



販売元

株式会社 クロマニックテクノロジーズ  
552-0001 大阪府大阪市港区波除6-3-1  
TEL: 06-6581-0885 FAX: 06-6581-0890  
E-mail: info@chromanik.co.jp URL: http://chromanik.co.jp



首都圏オフィス 252-0331 相模原市南区大野台1-8-31-601  
TEL: 042-851-3497 E-mail: sato@chromanik.co.jp